


Bilaga 12 Behandlingsresultat




No. of patients

98 63 20 9

Figure 1. Overall survival for patients with colorectal cancer and peritoneal metastases treated with cytoreductive surgery and hyperthermic intraperitoneal chemotherapy between 2004 and 2012.

Bilaga 12 Behandlingsresultat



No. of patients

164


143

96

57

Figure 2. Overall survival for patients with appendiceal tumours (appendiceal mucinous adenoma, LAMN and mucinous adenocarcinoma) and peritoneal metastases treated with cytoreductive surgery and hyperthermic intraperitoneal chemotherapy between 2004 and 2012.

Bilaga 12 Behandlingsresultat



No. of patients

126 113 79 46

Figure 3. Overall survival for patients with pseudomyxoma peritonei (DPAM, PMCA-I, PMCA and PMCA-signetring) treated with cytoreductive surgery and hyperthermic intraperitoneal chemotherapy between 2004 and 2012.




Figure 4. Overall survival (days) for patients with colorectal cancer (Group 1) and pseudomyxoma peritonei (Group 2) treated with cytoreductive surgery and hyperthermic intraperitoneal chemotherapy between 2012 and 2015.




Figure 4. Disease free survival (days) for patients with colorectal cancer (Group 1) and pseudomyxoma peritonei (Group 2) treated with cytoreductive surgery and hyperthermic intraperitoneal chemotherapy between 2012 and 2015.